



0 2000

Winds of Future

1

FANS CATALOGUE 2022

ORIENT ELECTRIC

A BRAND THAT STRIVES TO BRING THE BEST OF INNOVATION FOR YOU.

For you and the future that awaits you.

Over the years, Orient Electric has emerged as the leader in the premium fans segment, not only in terms of sales numbers but also as a visionary brand. We have been the largest manufacturer and exporter of fans in India and rated as a Star Export House by the Ministry of Commerce and Industry, GOI. But today, our focus is on being the brand that brings the future to the homes of our consumers!

Our products prioritize comfort, affordability and an aesthetic as well as a functional utility that fits into the smart homes of tomorrow. This is reflected in the kind of material we use, our designs and our technologies. At Orient Electric, we believe in making life simpler, experiences better and 'feeling the future' every day! A one-stop provider of fans, lighting, home appliances, switchgears and other electrical solutions. Yet, we feel more excited today than ever before.

YEAR OLD LEGACY

FORTUNE INDIA





STATE-OF-THE-ART FAN MANUFACTURING FACILITIES

Many of the innovations in the fan industry that are now taken for granted came from the research of Orient Electric's R&D centres and from our urge to bring top-quality products to Indian consumers. We have been routinely introducing pioneering manufacturing processes and technologies thus setting new industry benchmarks in terms of performance, design, energy efficiency and convenience.

Our state-of-the-art ISO-certified manufacturing facilities at Faridabad and Kolkata employ some of the most modern technologies, such as automatic stator winding plants and automatic liquid paint shops, so as to improve productivity and to meet the increasing consumer demand for quality products.

Quality being the key driving force behind everything we do at Orient Electric, we conscientiously follow the Six Sigma processes to manufacture zero-defect products. In India, we are the pioneers of die-casting the rotor and fan body cover in ceiling fans and the semi-automatic coil-winding process.

As a market-responsive company, we have positioned ourselves around innovation and it gets reflected in our new generation of innovative and premium fans that satiate the needs of consumers seeking pride in their contemporary interiors.



ORIENT ELECTRIC MILESTONES



1939	The journey begins. Factory established in Kolkata.
1954	Inducted into the CK Birla Group. Renamed as Orient Fans.
1965	Becomes the first Indian company to introduce die-casting of the rotor and fan body cover in ceiling fans.
1969	Establishes a factory in Faridabad
1990	Develops and patents the revolutionary PSPO technology for fans.
2014	Unveils new brand identity. Rebranded as Orient Electric with the positioning statement of 'Switch to Smart'
2014	Unveils energy-efficient BLDC fans.
2016	Unveils the 'Very Silent Very Powerful' Aeroquiet premium ceiling fan.
2017	Demerges and gets listed as a separate entity
2018	Gets listed on the stock exchanges
2019	Unveils India's first smart ceiling fan
2020	Enters the 'Fortune India 500' list





Accolades as glorious as our range

Our unwavering commitment to quality, innovation and excellent customer service has been recognised over and over again. We have been conferred with the globally acclaimed, consumer validated 'Superbrand' status in 2015, 2017, 2019 and 2021, 'Best Innovative Brand' award in 2018, 'Asia's Most Promising Brand' award in 2019, and 'The Economic Times Best Brand' award in 2020 and 2021.

We have also been recognised by the Limca Book of Records for producing the maximum number of ceiling fans from a single manufacturing unit in 2014-15. We have been consistently awarded the 'Star Performer' for many years by the Engineering Export Promotion Council (EEPC). Last but not the least, we're rated as 'Star Export House' by the Ministry of Commerce and Industry, Government of India.



Because you deserve the best of us. Aero Series

Fans that are elite, just like you. Our top-of-the-line fans do all the talking when it comes to exclusivity and elegance.





The Aero Series fans have many sides to them. They are bold, dynamic and premium. They also are technologically unmatched, governed by the core principle of aerodynamics applied in aircrafts and Formula One cars. This design and the use of new-age material reduce friction and air turbulence like never before. The result? Drastically reduced fan noise and an unmatched air thrust. So, wait no further. The coolness, the silence, the future await you.





Aerodynamic & slim design



Ceiling adjustable telescopic mounting

Very Silent. Very Powerful. Very Efficient.



proof ABS body





Hydrographic Robus PU finish Intelliger

Robust & reliable Intelligent BLDC motor







- Extra protection with powder-coated guard and polymer ring
- Motor protected with thermal overload protection device
- 3-Speed piano switch control
- Aerodynamic resin blades for high air thrust
- 90-degree oscillation
- Powerful motor for high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
1200	260	310



orient electric

AEROQUIET BLDC





- Highest air delivery
- Aerodynamic & slim design
- Superior PU finish
- Very silent operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	240	310







٠	Highest	air	delivery
---	---------	-----	----------

- Strongest motor (18 pole)
- Aerodynamic blades & slim design
- Hydrographic PU finish

Sweep (mm)	Air Delivery (cmm)	RPM
900	140	400
1200	240	310

orient electric

White

AEROLITE





with Aerodynamic design & LED light panel because God said, **Let there be light &** a cool breeze!

- Warm white LED light
- Highest air delivery
- Aerodynamic & slim design
- Superior PU finish

Sweep (mm)	Air Delivery (cmm)	RPM
1200	240	310



AEROCOOL



with Advanced Winglet Technology **Cools every corner,** noiselessly.

- Highest air delivery
- Strongest motor (18 pole)
- Aerodynamic & slim design
- Superior PU finish
- Aerofoil design

Sweep (mm)	Air Delivery (cmm)	RPM
1360	300	300

orient electric

AEROSTORM





with Advanced
Winglet Technology.
This Storm's breeze,
makes every
corner happy!

•	Highest	air del	ivery
---	---------	---------	-------

- Strongest motor (18 pole)
- Aerodynamic & slim design
- Superior PU finish
- Winglet technology

Sweep (mm)	Air Delivery (cmm)	RPM
1320	300	300



Underlight Fans & Air-circulating Luxury Chandelier

'Impeccable beauty, Impactful technology'









orient

Underlight



Pull the strings of perfection **Eleganza Series**

And then God said 'Let there be light, with a cool breeze.'

The Chandelier series of fans are a sheer joy for those focused on beauty and functionality. The color, the design and the beautiful lights with 'pull chords' to give speed and light control-every aspect symbolizes unique attention to user experience and a premium feel with every breeze!





17

Underlight






- 5 Blades for high air delivery
- Capacitor based speed control
- Trendy glass shade for light

- Electroplated finish for premium look
- Reversible motor for distributing cool air in summers & warm air in winters
- Wooden-finish aluminium blades

Sweep (mm)	Air Delivery (cmm)	RPM
1300	270	270




SUBARIS SOLO





WOODWIND



Multi-Colour Light Display





Green Light



Red Light





Blue Light

Yellow Light

Underlight

orient electric





- Full copper motor for durability
- LED light kit
- LED light intensity adjustment as per need
- Electroplated finish
- Multi colour lights for different moods
- Automatic and manual colour changing mechanism for lights
- Timer & 5-speed control through remote
- Remote control for ease of operation

Air Delivery (cmm)	RPM
230	320

SPECTRA



White

AEROLITE





with Aerodynamic design & LED light panel because God said, **Let there be light &** a cool breeze!

- Warm white LED light
- Highest air delivery
- Aerodynamic & slim design
- Superior PU finish

Sweep (mm)	Air Delivery (cmm)	RPM
1200	240	310





 Image: Second state sta

- Extra protection with powder-coated guard and polymer ring
- Motor protected with thermal overload protectio device
- 3-Speed piano switch control
- Aerodynamic resin blades for high air thrust
- 90-degree oscillation
- Powerful motor for high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
1200	260	310



Underlight



Introducing Electricity Saving Fans

The BLDC fan series is a masterpiece of innovation, created to save energy and your hard-earned money. Its intelligent design is a result of years of research, which ensures that you never have to compromise.





50% ELECTRICITY SAVINGS

Parameters	CONVENTIONAL FAN	ENERGY EFFICIENT FAN	
Power consumption	78W	32W	
Hours of usage per day	16	16	
KWhr Units per day	1.248	0.512	
Electricity cost per unit	6.6	6.6	
Electricity bill per day	₹8.2368	₹3.38	
Electricity bill per annum	₹3006	₹1233	
Carbon foot print reduction (kg)	0.062	0.026	
Fan operation	Normal Regulator	Normal Regulator	
Annual savings on 1 Fan		₹1773	
Annual savings on 4 Fans		₹7092	
Note : 0.596 kilograms of CO2 are currently pro	duced for each kilowatt hour of electricity ge	enerated.	



Space Grey

- Robust & reliable Intelligent BLDC motor
- Aerodynamic design for 15% more air delivery
- Works on low voltages (140V-270V)
- Metalised decorative ring adds elegance and beauty
- Saves up to 50% electricity
- Very silent operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	215	330



save upto ₹**7000**

annually*



Energy Efficient



Space Grey



- Robust & reliable Intelligent BLDC motor
- Aerodynamic design for 15% more air delivery
- Works on low voltages (140V-270V)
- Metalised decorative ring adds elegance and beauty
- Saves up to 50% electricity
- Very silent operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	225	330



With Remote



HECTOR-500



Brown

- Robust & reliable Intelligent BLDC motor
- Works on low voltages (140V 270V)
- Highest air delivery
- Saves up to 50% electricity
- Very silent operation

Sweep (mm)	Air Delivery (cmm)	RPM
900	140	400
1200	228	350
1400	260	300







Energy Efficient

HECTOR-500 Remote





- Robust & reliable Intelligent BLDC motor
- Works on low voltages (140V 270V)
- Highest air delivery
- Saves up to 50% electricity
- Very silent operation
- Remote control for ease of operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	228	350







 Image: Second state sta

- Extra protection with powder-coated guard and polymer ring
- Motor protected with thermal overload protectio device
- 3-Speed piano switch control
- Aerodynamic resin blades for high air thrust
- 90-degree oscillation
- Powerful motor for high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
1200	260	310





Energy Efficient

AEROQUIET BLDC





- Highest air delivery
- Aerodynamic & slim design
- Superior PU finish
- Very silent operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	240	310



With Remote



i-FALCON



- Robust & reliable Intelligent BLDC motor
- Very silent operation
- Works on low voltages (140V 270V)
- Saves up to 50% electricity

Sweep (mm)	Air Delivery (cmm)	RPM
1200	225	330





Energy Efficient

i-TOME Remote





• Robust & reliable Intelligent BLDC motor

- Very silent operation
- Works on low voltages (140V-270V)
- Saves up to 50% electricity

Sweep (mm)	Air Delivery (cmm)	RPM
1200	220	370



Where Beauty meets Utility! **Decorative Fans!**

Timeless beauty that lasts forever!

orient electric





Decorative



Highest air delivery

Decorative ring & trim



Rust proof aluminium blades



Orient's range of aesthetically brilliant and functionally

These fans smoothly fit into the 'modern home' style,

while filling every space with unmatched comfort!

optimized fans give our consumers the best of both worlds.

capturing the attention of everyone with their sheer elegance



Wide tip blades



Strongest motor (14 & 16 pole)



INTRODUCING NORTON C arient Pearl White Brown lvory

	Highest air deliveryStrongest motor (14 pole)	Sweep	Air Delivery	DDM
Timeless Beauty. Built to Last.	• Decorative ring & trim	(mm)	(cmm)	RPM
DUIIL LU LUSL.	Wide tip blades	1200	230	380
	Rust proof aluminium blades			







Uplift your room with unmatched looks

- Highest air delivery
- 14 Pole strongest motor in the category
- Wider tip blades for high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	380

Decorative







- Premium Finish with modern styling on trims
- Metallic finish & stylish blade trims
- Durable & strong 14 pole copper motor

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	380









- Decorative ring on bottam cover & canopy for better aesthetics
- Full copper motor & ribbed aluminium blades for durability
- Metallic finish & stylish blade trims
- Durable & strong 14 pole copper motor

Sweep (mm)	Air Delivery (cmm)	RPM
600	110	850
900	150	400
1200	230	380
1400	270	300

- Wide blades for high air delivery
- Stylish bottam cover & canopy for better aesthetics
- Full copper motor & ribbed aluminium blades for durability

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	380



GRATIA







Also available in High Speed varient

- Highest air delivery
- Rust proof aluminium blades
- Decorative ring & trim
- Wide tip blades

Sweep (mm)	Air Delivery (cmm)	RPM
600	110	850
900	160	400
1050	190	380
1200	230	330
1400	270	300







- Wide blades for high air delivery
- Stylish bottam cover & canopy for better aesthetics
- Full copper motor & ribbed aluminium blades for durability

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	330

Decorative



Walnut

*Fan available with remote option in sweep size 1200mm.

- Wide blades for high air delivery
- Full copper motor & ribbed aluminium blades for durability
- Elegant looks with stylish trims
- Metallic finish with lacquer coating for longer life

Sweep (mm)	Air Delivery (cmm)	RPM
900	150	400
1200	230	320
1400	270	300



ARETA

ARETA TRENDZ






- Wide blades for high air delivery
- Curvy blades & three-layered canopy
- Full copper motor & ribbed aluminium blades for durability
- Elegant looks with decorative trims & bottom cover ring

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	320

- Wide blades for high air delivery
- Curvy blades & three-layered canopy
- Full copper motor & ribbed aluminium blades for durability
- Elegant looks with decorative trims & bottom cover ring
- Sweep
(mm)Air Delivery
(cmm)RPM1200230320



- Wide blades for high air delivery
- Full copper motor & ribbed aluminium blades for durability
- Lacquer coating provides longer life
- Dual colour combination adds elegance to your home decor
- Decorative ring on motor & canopy for better aesthetics


Sweep (mm)	Air Delivery (cmm)	RPM
600	140	850
900	160	400
1050	190	380
1200	235	320
1400	275	300




 Wide blades for high air delivery Stylish bottam cover & canopy for 	Sweep (mm)	Air Delivery (cmm)	RPM
better aesthetics	1200	230	320



OUADRO ORNAMENTAL





- Full copper motor, ribbed blades & lacquer coating for durability
- Elegant design to complement room decor

Sweep (mm)	Air Delivery (cmm)	RPM
1200	240	310



BLITZ DECO





			_	
•	Decorative	rina	æ	trims

- Full aluminium construction
- Ribbed blades for higher strength

Sweep (mm)	Air Delivery (cmm)	RPM
1200	210	400

SUMMER PRIDE



orient electric

- Elegant looks with decorative trims
- Dual colour combination adds elegance to your home decor
- Lacquer coating provides longer life
- Full copper motor for durability

Sweep (mm)	Air Delivery (cmm)	RPM	
900	155	400	
1050	185	380	
1200	230	320	
1400	270	300	

SUMMER CHILL






orient electric

Decorative

- Full copper motor for durability
- Sleek design with decorative trims add to the decor
- Decorative ring on bottam cover for better aesthetics
- Powder coating provides longer life

Sweep (mm)	Air Delivery (cmm)	RPM
1200	225	370



Elegant looks with Decorative trims Trendy design with decorative cup on the	Sweep (mm)	Air Delivery (cmm)	RPM
bottam cover	600	140	850
Full copper motor for durability	1200	230	320

•

• T

• F



SUMMER DELITE ORNAMENTAL



SANDY FURDING



Brown

- Decorative cup & ring on motor & canopy for better aesthetics
- Full copper motor for durability
- Elegant design to complement room decor

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	320



INTRODUCING FALCON 425



- Fastest fan in the category (425 RPM)
 - Highest air delivery and air throw
 - Durable motor for long life
 - Aluminium blades for higher durability

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	425

- Full copper motor for durability
- Tangential blades for better aesthetics

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	400



INTRODUCING FALCON 425 DECO



White





- Fastest fan in the category (425 RPM)
- Highest air delivery and air throw
- Durable motor for long life
- Ribbed aluminium blades for higher durability

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	425





- Strongest motor in this category for higher durability
- Aluminium blade with unique twist angle to deliver air over larger area
- Superior paint finish for longer life & impeccable feel
- Double ball bearing for smooth & noiseless operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	380

- Full copper motor for better performance
- Ribbed aluminium blades for longer durability
- Powder coating provides longer life

Sweep (mm)	Air Delivery (cmm)	RPM
600	110	800
900	150	400
1050	180	380
1200	225	370
1400	265	300



NEW BREEZE





Full copper motor for better	Sweep (mm)	Air Delivery (cmm)	RPM
performance	600*	140	850
 Ribbed aluminium blades for durability 	900	155	400
 Powder coating provides long-lasting 	1050	185	380
premium finish	1200	235	330

1400

270

300



A fan that has been trusted by over 30 Million+ happy consumers.

- Full copper motor & ribbed aluminium blades for durability
- Decorative cup on the motor cover adds elegance to the decor
- Powder coating provides long-lasting premium finish
- 16 pole motor for higher durability

Sweep (mm)	Air Delivery (cmm)	RPM
600*	140	850
900	155	400
1050	185	380
1200	235	330
1400	270	300



SUMMER KING XL



Full copper motor for durability	Sweep (mm)	Air Delivery (cmm)	RPM
 Powder coating provides long-lasting premium finish 	1200 230	320	
	1400	270	300

56





- Advanced PSPO Technology ensures sustained air flow under fluctuating voltages
- Wider tip blades for better air circulation
- Superior paint finish for longer & Impeccable feel
- Strongest 14 pole motor in its category for higher durability

Air Delivery (cmm)	RPM
150	400
235	380
265	300
	(cmm) 150 235



Sweep

(mm)

1200

Air Delivery

(cmm)

220

RPM

320



- Wide blades for high air delivery
- Full copper motor
- Aluminium blades for durability
- Lacquer coating provides longer life
- Wood finish for better aesthetics



Parameter	IS- 50	Ordinary Fan
Power Consumption (W)	50 W	75 W
Hours Usage Per Day	16	16
KW/Hr Units Per Day	0.8	1.2
Electricity Bill Per Day @ ₹6.5/- per unit	₹5.2	₹7.8
Electricity Bill Annum	₹1898/-	₹2847/-
Annual Savings (1 Fan)	₹949/-	
Annual Savings (4 Fan)	₹3796/-	




orient

Sweep (mm)	Air Delivery (cmm)	RPM
1200	220	350







Decorative



STALLION



with unique four blades design **looks as good as it cools**

- Bold design for modern homes
- Wider and unique blade design
- Strong, robust motor with double ball bearing
- Premium electroplated finish
- Four-blades for higher delivery

Sweep (mm)	Air Delivery (cmm)	RPM
1320	260	330



A designer fan that **packs beauty** with performance

- Wide blades for high air delivery
- Full copper motor, ribbed blades & lacquer coating for durability
- Elegant design to complement room decor

Sweep (mm)	Air Delivery (cmm)	RPM
900	160	400
1050	190	380
1200	235	320
1400	275	300



'Looks better, Cools best' Lifestyle Fans

The new lifestyle range of portable fans from Orient are simply out-of-the-world. They come with revolutionary designs, next-generation technology and exquisite finish. So, when are you making them a part of your world?







Orient BLADELESS BECAUSE DIFFERENT IS UNIQUE

Voltage : 220-240V Frequency : 50/60Hz Power: 40W



















Silent operation

Strong & reliable motor

> Built-in timer

Remote

Power saving

Breeze

Easy clean

ioi

Orient MONROE BECAUSE DIFFERENT IS AWE-WORTHY

Voltage: 220-240V Frequency: 50/60Hz Power: 40W



Orient AUCTOR

Voltage: 220-240V Frequency: 50/60Hz Power: 55/65W









Built-in timer









67

orient PROTEUS

Voltage: 220-240V Frequency: 50 Hz Power: 42W

-0-

C orient



INNUM []]

1 Hour timer

-

Power saving

<u>____</u>

Rotating grill



'Looks good, stays clean, saves more. Forever!" Anti-dust series

KKKO.


68

Stays Dust-free, Stays new





Anti-dust



- Highest air delivery
- Strongest motor (16 pole)
- Decorative ring & trim
- Wide tip blades
- Rust proof aluminium blades

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	330





- Scratch resistant
- Lacquer coating provide for longer life
- Easy to clean
- Looks new all the time
- Attracts less dust

Sweep (mm)	Air Delivery (cmm)	RPM
1200	235	320




WENDY SHINE





- Wide blades for high air delivery
- Full copper motor and ribbed aluminium blades for durability
- Elegant looks with stylish trims
- Metallic finish with lacquer coating for longer life
- Scratch resistant
- Attracts less dust
- Easy to clean
- Looks new all the time

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	330



- Attracts less dust
- Looks new all the time
- Metallic finish & stylish blade trims
- Scratch resistant
- Powerful motor for high air delivery
- Easy to clean
- Full copper motor for durability

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	375



'Switch on happiness' **Kids Series**

Sold Barris

ALL ALL

7114

SALAR PROPERTY

74

Making fans is no child's play, but our range of fans for kids are just that easy on their eyes. Add a streak of vivid colours to their rooms and they will never thank you enough.







FANTOOSH ROB RABBY



- Superior film transfer technique for better finishing & impeccable feel
- Wide blades for high air delivery
- Attractive & vibrant design to suit kids room
- Very powerful motor in its category for durability
- Double ball bearing for smooth & silent operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	320



FANTOOSH SUPERHERO



- Superior film transfer technique for better finishing & impeccable feel
- Wide blades for high air delivery
- Attractive & vibrant design to suit kids room
- Very powerful motor in its category for durability
- Double ball bearing for smooth & silent operation

Sweep (mm)	Air Delivery (cmm)	RPM
1200	230	320



Great breeze, everywhere you go! Table, Pedestal & Wall Fans

The comfort of cooling with the convenience of ergonomics. Our range of table, wall and pedestal fans guarantee cooling from wherever, whenever.








STYLUS

Motor with revolutionary









- Manual and remote control
- Breeze mode and timer for auto switch off
- High air delivery at moderate power consumption
- Unique square guard with radial wires
- Unique combination of motor and blade for more air thrust
- Thermal overload protection device
- Super-efficient and silent motor
- 90-degree oscillation with remote control

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350










- Powerful motor for high air delivery
- Unique oil reservoir lubrication for better reliability & longer life
- Unique oscillation mechanism
- Unit packing with easy assembly

- Extra protection against corrosion with powder-coated guard and polymer ring
- 3-speed regulation & On/Off control
- Thermal overload protection with auto-reset
- Aerodynamic metal blades for high air thrust

Sweep (mm)	Air Delivery (cmm)	RPM
450	110	1325



TORNADO WALL-II



TPW



RETRO RELIC*



- 90-degree Oscillation
- Easy fan head tilt mechanism
- Unique 3-speed rotary switch control
- High speed motor to deliver air at 2100 RPM
- Motor protection with thermal overload protection device & auto reset

Sweep (mm)	Air Delivery (cmm)	RPM
300	47	2100



- HIGH
- Spiral guard design ensure international safety standard
- Rubbed-bronze finish adds to the overall aesthetics
- 90-degree oscillation
- 3-Speed rotary switch control
- High speed motor gives high air thrust at 2100 RPM

Sweep (mm)	Air Delivery (cmm)	RPM
300	47	2100



RETRO T16



Sweep

(mm)

400

Air Delivery

(cmm)

80

RPM

- Up & down tilt mechanism
- Motor protection through thermal overload protection device
- Rubbed-bronze finish adds to the overall aesthetics
- 3-speed rotary switch control

	S
F	Rubbed Bronze

- Sleek 4-leaf aluminium blade classic design
- Attractive rubbed-bronze finish
- Specially designed high torque motor
- Extra protection against corrosion with powder-coated guard and metal ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	80	1300



RETRO T16HS

Motor with revolutionary



Rubbed Bronze

Air Delivery

(cmm)

85

RPM

2100

Sweep

(mm)

400



- Up & down tilt mechanism
- Motor protection through thermal overload protection device
- Rubbed-bronze finish adds to the overall aesthetics
- 3-speed rotary switch control







for smoother, longer and reliable operations.





- Sleek 4-leaf aluminium blade classic design
- Attractive rubbed-bronze finish
- Specially designed high torque motor
- Extra protection against corrosion with powder-coated guard and metal ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	85	2100



TABLE 27

Motor with revolutionary



- Up & down tilt mechanism
- Motor protection with thermal overload protection and auto resetting
- Extra protection against corrosion with powder-coated guard and polymer ring
- Aerodynamically designed resin blades for maximum air delivery
- 2100 RPM For high air thrust
- 3-speed rotary switch control

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100



TPW



DESK 25 Motor with revolutionary **ECH** for smoother, longer and reliable operations. **Azure Blue-White** Signal White • Aerodynamically designed resin blades for maximum air delivery • Up & down tilt mechanism Easy snap-fit assembly

Air Delivery

(cmm)

90


RPM

1330

Sweep

(mm)

- 3-Speed piano switch control
- Extra protection against corrosion with powder-coated guard and polymer ring
- 90-degree oscillation
- Motor protection with thermal overload protection and auto-resetting





Motor with revolutionary



for smoother, longer and reliable operations.



- Aerodynamically designed resin blades for maximum air delivery
- Up & down tilt mechanism
- 3-Speed piano switch control
- Extra protection against corrosion with powder-coated guard and polymer ring
- Motor protection with thermal overload protection and auto-resetting
- Specially designed motor gives high air thrust @ 2100 RPM

Sweep (mm)	Air Delivery (cmm)	RPM
300	80	2100

Motor with revolutionary



for smoother, longer and reliable operations.

Crystal White



Air Delivery

(cmm)

100

Sweep

(mm)

400

• Aerodynamically designed resin blades for maximum air delivery

Signal White

- Up & down tilt mechanism
- 3-Speed piano switch control •
- Extra protection against corrosion with powder-coated guard and polymer ring
- Motor protection with thermal overload protection and auto-resetting
- Specially designed motor gives high air thrust @ 2100 RPM

RPM



Motor with revolutionary



for smoother, longer and reliable operations.



Air Delivery

(cmm)

92

RPM

1330

Sweep

(mm)


450

- 90-degree oscillation
 Extra protection against corrosion with powder-coated guard and polymer ring
 Up & down tilt mechanism
- Up & down tilt mechanism
 Motor protection with thermal overload protection and auto-resetting
 Rerodynamically designed resin blades for maximum air delivery
 Powerful motor for high air delivery
 Oscillation & speed control by pull-cord mechanism

- mechanism
- Front & back guard with extra ribs for safety

Motor with revolutionary







- Up & down tilt mechanism
- Aerodynamically designed resin blades for maximum air delivery
- Motor protection with thermal overload protection
- Extra protection against corrosion with powder-coated quard and polymer ring
- 3-Speed piano switch control
- 90-degree oscillation

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Motor with revolutionary



for smoother, longer and reliable operations.



- Up & down tilt mechanism
- 90-degree oscillation
- Aerodynamic resin blades for high air thrust
- Powerful motor for high air delivery
- Motor protection with thermal overload protection
- Oscillation & speed control by pull-cord mechanism

Sweep (mm)	Air Delivery (cmm)	RPM
300	50	1400

Motor with revolutionary



for smoother, longer and reliable operations.



- Up & down tilt mechanism
- 90-degree oscillation
- Aerodynamic resin blades for high air thrust
- 3-Speed rotary switch control
- Powerful motor for high air delivery
- Motor protection with thermal overload protection
- Oscillation & speed control by pull-cord mechanism
- Extra protection with powder-coated guard and polymer ring

RPM

1330

Air Delivery

(cmm)

90

Sweep

(mm)[.]

400

TPW



Motor with revolutionary



for smoother, longer and reliable operations.



Air Delivery

(cmm)

90

RPM

1330

Sweep


(mm)[.]

400

- Up & down tilt mechanism
- Motor protection with thermal overload protection device
- Aerodynamic blades for high air thrust
- Automatic speed control through the breeze control button
- Extra protection with powder-coated guard and polymer ring
- Advanced touch-screen panel for manual operation

Motor with revolutionary







- Resilient fuse to safeguard motor during thermal overlord
- 35% more speed than ordinary fans with 2250 RPM
- Soft head tilting to adjust air-flow direction
- Strongest motor in the category for longer life & durability

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2250



STAND 37 Trendz

Motor with revolutionary



for smoother, longer and reliable operations.







Motor with revolutionary



for smoother, longer and reliable operations.



Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100

- Up & down tilt mechanism
- 3-Speed piano switch control
- 90-degree oscillation
- Telescopic arrangement for full height adjustment by contemporary collet
- Extra protection against corrosion with powder-coated guard and polymer ring
- Motor protection thermal overload protection device with auto-reset
- Aerodynamically designed resin blades for high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Motor with revolutionary



for smoother, longer and reliable operations.



Air Delivery

(cmm)

90

RPM

1330

Sweep

(mm)

400

- 90-degree oscillation
- Extra protection with powder-coated guard and polymer ring
- Up & down tilt mechanism
- Motor protected with thermal overload protection device
- Aerodynamic resin blades for high air thrust
- Powerful motor for high air delivery
- 3-Speed piano switch control
- Front & back guard with extra ribs for safety

	WALL 44
Motor with revolutionary	
СТ 🖉 ТЕСН	
for smoother, longer and reliable operations.	0-0-
	Azure Blue-white

• Up & down tilt mechanism

Crystal White

- Aerodynamic resin blades for high air thrust
- Motor protected with thermal overload protection device
- Extra protection against corrosion with powder-coated guard and polymer ring
- 90-degree oscillation
- Powerful motor for high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

10

Crimson Red-white



ROTO-53

Motor with revolutionary



for smoother, longer and reliable operations.



Sweep

(mm)

400

Air Delivery

(cmm)

90

RPM

1330

Crystal White

- Wall mounting regulator
- 360-degree cyclic motion
- Extra protection against corrosion with powder-coated guard and polymer ring
- Powerful motor for high air delivery

•	Aerodynamic plastic blades for
	high air thrust

- Motor protected through thermal overload protection device
- Attractive colour combination
- Heavy-duty motor with 2500 RPM provides high air thrust
- 2-in-1 advantage of wall mounting & table-top usage



TPW

Sweep (mm)	Air Delivery (cmm)	RPM
225	16	2500



STAND 37

Motor with revolutionary

for smoother, longer and reliable operations.

Signal White



Air Delivery

(cmm)

100

RPM

2100

Sweep

(mm)[.]

400

- Up & down tilt mechanism
- 90-degree oscillation
- Motor protection with thermal overload protection and auto-resetting
- Aerodynamically designed resin blades for high air delivery
- 2100 RPM with high speed powerful motor
- Extra protection against corrosion with powder-coated guard and polymer ring

•	Balanced operation & powder-coated
	finish ensure longer life
	-

- 3-speed totary Switch control
- Heavy-duty motor & aerodynamic blades give high air thrust at minimum noise

Sweep (mm)	weep Air Delivery (mm) (cmm)	RPM
500	167	1400





STAND 39

STAND 38

Motor with revolutionary



for smoother, longer and reliable operations.



Air Delivery

(cmm)

92

RPM

1330

Sweep

(mm)[.]

450

Motor protection with overload protection device

- Up & down tilt mechanism
 Extra protection against corrosion with powder-coated guard and polymer ring
 Motor protection with thermal overload protection device
 Stratt C best ward with extra size for
- Front & back guard with extra ribs for safety

- 90-degree oscillation
 Aerodynamically designed resin blades give high air thrust
 Specially designed high torque motor
 Sleek switch panel & round base add elegance to the decor

With Remote			44
Opel White	LL METAL	i	
Motor with revolutionary	Signo	ıl White	
for smoother, longer and reliable operations.)		
 Up & down tilt mechanism Aerodynamically designed aluminium blades give high air thrust Remote control for ease of operation Extra protection against corrosion with powder-coated guard and polymer ring Breeze mode and timer for auto switch 	Sweep (mm)	Air Delivery (cmm)	RPM
 Advanced touch-screen panel for manual operation 	400	90	1330

AND THE REAL

TPW



90

400

1330

- overload protection device
 Extra protection against corrosion with powder-coated guard and polymer ring
- Cross-steel base adds elegance to the decor

98



- Up & down tilt mechanism
- 90-degree oscillation
- Specially designed high torque motor
- Extra protection against corrosion with powder-coated guard and polymer ring
- 3-speed piano switch control
- Aerodynamically designed resin blades ensure high thrust of air
- Motor protection with thermal overload protection device

Sweep
(mm)Air Delivery
(cmm)RPM400901330





Sweep

(mm)

400

Air Delivery

(cmm)

90

- Up & down tilt mechanism
- 90-degree oscillation
- Square base finish adds to the overall aesthetics
- Extra protection against corrosion with powder-coated guard and polymer ring
- 3-speed piano switch control
- Aerodynamically designed resin blades for high air delivery
- Motor protection with thermal overload protection device
- Telescopic arrangement for full height adjustment by contemporary collet

nite	ALL METAL CONSTRUCTION
RPM	 Up & down tilt mechanism 90-degree oscillation Extra protection against corrosion with powder-coated guard and polymer ring 3-speed piano switch control Berodungmically designed aluminium
1330	 Aerodynamically designed aluminium blades ensure high thrust Motor protection with thermal overload

- Motor protection with thermal overload protection device
- Sleek and ergonomically located switch panel adds to the elegance

ST	AΓ	D	34
	Mot	or with r	evolutionary

Air Delivery

(cmm)

90



for smoother, longer and reliable operations.

Azure Blue-White

Sweep

(mm)

400

RPM







for smoother, longer and reliable operations.



Electric Blue



- 400 100 2100
- Slate Grey 444 - 161-5-22
- Up & down tilt mechanism
- 3-speed piano switch control
- Aerodynamically designed resin blades for high air delivery
- Motor protection with thermal overload protection and auto-resetting
- Extra protection against corrosion with powder-coated quard and polymer ring



Motor with revolutionary



for smoother, longer and reliable operations.





Air Delivery

(cmm)

90

RPM

1330

Sweed

(mm)

400

- Up & down tilt mechanism
- 90-degree oscillation
- Easy snap-fit assembly
- Extra protection against corrosion with powder-coated quard and polymer ring
- 3-speed piano switch control
- Aerodynamically designed resin blades ensure high thrust of air
- Motor protection with thermal overload protection and auto-resetting



Motor with revolutionary




for smoother, longer and reliable operations.



- Up & down tilt mechanism
- 90-degree oscillation
- Powerful motor for high air delivery
- Extra protection with powder-coated guard & polymer ring
- 3-speed piano switch control
- Aerodynamic Resin Blades For high air thrust
- Motor protection with thermal overload protection device



Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



orient electric **WALL 47** Trendz

Motor with revolutionary




for smoother, longer and reliable operations.


Electric Blue

nechanism	
ation	
and an abrall but avail	


- Oscillation & speed control by pull cord mechanism
- Extra protection with powder-coated guard & polymer ring
- Specially designed motor gives high air thrust @ 2100 RPM
- Aerodynamic Resin Blades For high air thrust
- Motor protection with thermal overload protection device

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100











Keep cool, Keep calm **Exhaust Fans**

104

Lesser noise. More efficient than ever before. Our next generation of exhaust fans promise clearer air and dust-free surroundings.

Q orient



Ventilator DX



Spring Air



Ventilator HS



Hill Air



Smart Air Neo



Airflow



High Speed Exhaust



Smart Air Neo SF



Power Flow



Smart Alr



Heavy Duty Exhaust



Smart Air LSH





RAFFA







• Stylish, compact fan with super efficient motor

Sweep (mm)	Air Delivery (cmh)	RPM
100	90	2400
150	240	1800





VENTILATOR HS





Smooth & slient operationDust protection shutter	Sweep (mm)	Air Delivery (cmh)	RPM
Sleek & trendy design	150	500	2500
2 years warranty	200	750	2100



Ventilator Dx

- Resin body & blades for easy maintenance
- Shutter to prevent dust from outside
- International design

Sweep (mm)	Air Delivery (cmh)	RPM
150	280	13500
200	550	1300
250	780	1270



INTRODUCING SMART AIR LSH

WITH PULL CHORD MECHANISM



Off White

Air Delivery

(cmh)

230

Sweep

(mm)

150



RPM

- Strong powerful 100% copper motor
- Glass Mountable
- Easy to clean
- Powerful air suction
- Ideal for kitchens & bathrooms









- Strong powerful 100% copper motor
- Glass Mountable
- Easy to clean
- Powerful air suction
- Ideal for kitchens & bathrooms





INTRODUCING SMART AIR NEO SF



Silver Finish

RPM

2000

Air Delivery

(cmh)

250

Sweep

(mm)[.]

150



- Strong powerful 100% copper motor
- Glass Mountable
- Easy to clean
- Powerful air suction
- Ideal for kitchens & bathrooms





Off White





- Strong powerful 100% copper motor
- Glass Mountable
- Easy to clean
- Powerful air suction
- Ideal for kitchens & bathrooms
- Elegant design

Sweep (mm)	Air Delivery (cmh)	RPM
150	280	2000

Exhaust



HIGH SPEED EXHAUST





- Front guard protection for bird
- Powerful air suction
- Powder-coated for long life
- Ideal for kitchens & bathrooms

Sweep (mm)	Air Delivery (cmh)	RPM
225	1150	2250

- Front guard protection for bird
- Powder-coated for long life
- Ideal for kitchens & bathrooms

Sweep (mm)	Air Delivery (cmh)	RPM
225	550	1350
300	1290	1300



INTRODUCING AIR FLOW



Front guard protection for birdPowder-coated for long life	Sweep (mm)	Air Delivery (cmh)	RPM
	150	400	2600
	225	550	1350
	300	1290	1300



- Resin blades for easy cleaning
- Powder-coated for long life

Sweep (mm)	Air Delivery (cmh)	RPM
225	650	1300
300	1290	1300



INTRODUCING POWER FLOW



 Powerful air suction Powder-coated for long life 	Sweep (mm)	Air Delivery (cmh)	RPM
Ideal for low end industrial use	150	500	2600



POWER FLOW



Powerful air suction	Sweep (mm)	Air Delivery (cmh)	RPM
 Powder-coated for long life Ideal for low end industrial use 	225	865	1350
	300	1800	1320



Works like a charm. Industrial Fans

Heavy duty fans for industrial use.
















Heavy-duty Exhaust





THUNDERSTORM WALL FAN



- Air circulator motor for high air delivery
- Tilt adjustment for adjusting the fan till 15-degree angle

 Narrow blade profile, with aerodynamically designed blades for low noise

- Floating arrangement for changing the position of oscillation
- 3-speed adjustment through the piano switch

Sweep (mm)	Air Delivery (cmm)	RPM
450	150	1450

THUNDERSTORM STAND FAN



- Air circulator motor for high air delivery
- Tilt adjustment for adjusting the fan till 15-degree angle
- Narrow blade profile, with aerodynamically designed blades for low noise
- Floating arrangement for changing the position of oscillation
- 3-speed adjustment through the piano switch

Sweep (mm)	Air Delivery (cmm)	RPM
450	150	1450




THUNDERSTORM WALL FAN



- Air circulator motor for high air delivery
- Tilt adjustment for adjusting the fan till 15-degree angle
- Narrow blade profile, with aerodynamically designed blades for low noise
- Floating arrangement for changing the position of oscillation

Sweep (mm)	Air Delivery (cmm)	RPM
600	300	1450





- Air circulator motor for high air delivery
- Tilt adjustment for adjusting the fan till 15-degree angle
- Narrow blade profile, with aerodynamically designed blades for low noise
- Floating arrangement for changing the position of oscillation

Sweep (mm)	Air Delivery (cmm)	RPM
600	300	1450



HEAVY DUTY EXHAUST



•	Designed to effectively combat pollution. Sucks out smoke, dust, colour & pollutants, making
	the workplace clean and fresh

Sweep (mm)	Air Delivery (cmm)	RPM
300	1750	1400
380	3500	1400
450	3900	900
450	6200	1400
600	10000	900



STAND AC-18



WALL AC 18



- Environment protection with durable powder coating
- Spiral guard design ensure international safety standard
- High torque gear box with safety clutch
- Powerful air circulator motor for continuous operation
- Indexed floating system in the motor head
- Best-in-category air thrust

Sweep (mm)	Air Delivery (cmm)	RPM
450	135	1400

- High torque gear box with safety clutch
- Best-in-category air thrust
- 3-speed control
- Broad blade profile for low noise
- Up & down tilt mechanism
- Motor protection thermal overload protection device with auto-reset
- 90-degree oscillation
- Spiral guard design ensure international safety standard
- Powerful air circulator motor for high air delivery & thrust

Sweep (mm)	Air Delivery (cmm)	RPM
450	135	1400



STAND AC-24



- High torque gear box with safety clutch
- Best-in-category air thrust
- 3-speed control
- Up & down tilt mechanism
- Motor protection thermal overload
 protection device with auto-reset

- 90-degree oscillation
- Spiral guard design ensure international safety standard
- Powerful air circulator motor for high air delivery & thrust
- Broad blade profile for low noise

Sweep (mm)	Air Delivery (cmm)	RPM
600	250	1375



WALL AC-24



	ligh torque gear box with safety clutch est-in-category air thrust	 Spiral guard design ensure international safety standard 			
	ndexed floating system in the motor head Ip & down tilt mechanism	Powerful air circulator motor for high air delivery & thrust	Sweep (mm)	Air Delivery (cmm)	RPM
• 14	lotor protection thermal overload rotection device with auto-reset	 Environment protection with durable powder coating 	600	250	1375
• 9	0-degree oscillation				

121 Industrial

PERFORMANCE FIGURES: SUPPLY VOLTAGE AT 220-240 V, A.C., 50Hz

	I-SERIES FANS - 3 BLADES							
MODEL	SWEEP	SPEED	AIR DELIVERY	CONSUMPTION	PSPO			
	(mm)	(RPM)	(cmm)	(Watts)	VALUE			
l-float	1200	330	215	32	NA			
I-float IOT	1200	330	215	32	NA			
Hector 500	900	400	140	25	NA			
Hector 500	1200	350	228	32	NA			
Hector 500	1400	300	260	35	NA			
Hector 500 with remote	1200	350	230	28	NA			
i TOME	1200	370	220	28	NA			
i TOME	1400	300	250	35	NA			
I Tome with remote	1200	370	220	26	NA			
l falcon	1200	350	225	30	NA			
	AERO SERIE	S FANS - 3 BLADE	S					
Aeroslim	1200	310	260	40	NA			
Aerostorm	1320	300	300	75	NA			
Aerocool	1360	300	300	75	NA			
Aeroquiet, Aerolite	1200	310	240	62	NA			
Aeroquiet BLDC	1200	310	240	35	NA			
Aeroquiet	900	400	140	54	NA			
· · ·	UNDERLIGHT CEIL	ING FANS - 3 & 5	BLADES	<u> </u>				
Woodwind	1300	250	215	80	NA			
Suboris, Suboris Solo	1300	270	270	80	ΠA			
Spectra	1200	320	230	70	NA			
	PREMIUM CEILING	FANS - 2, 3 & 4 E	BLADES					
Stallion	1320	330	260	75	NA			
Jazz, Jazz Trendz, Jazz Art	1200	380	230	75	NA			
Twister Hi Speed, Laurel	1200	370	230	75	ΠA			
Blitz Deco	1200	410	210	78	451			
Cristo	1200	370	230	75	NA			
Curl	1200	370	230	75	NA			
Cyril	1200	320	230	70				
Summer Pride, Summer Delite Décor/				/0	DA			
	1200	320	230	68	NA 460			
Ornamental, Deluxe		320	230	68	460			
Ornamental, Deluxe Newbreeze, Summer Cool	1200	320 330	230 235	68 65	460 NA			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer		320	230	68	460			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe	1200 1200 1400	320 330 310 300	230 235 240 270	68 65 70 75	460 NA 480 480			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine	1200 1200 1400 1200	320 330 310 300 330	230 235 240 270 230	68 65 70 75 70	460 NA 480 480 460			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina	1200 1200 1400 1200 1200	320 330 310 300 330 320	230 235 240 270 230 230	68 65 70 75 70 70 70	460 NA 480 480 460 460			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane,	1200 1200 1400 1200	320 330 310 300 330	230 235 240 270 230	68 65 70 75 70	460 NA 480 480 460			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane,	1200 1200 1400 1200 1200 1200 1200	320 330 310 300 330 320 380 370	230 235 240 270 230 230 230 230 225	68 65 70 75 70 70 70 70 70 70	460 NR 480 480 460 460 460 440			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane,	1200 1200 1400 1200 1200 1200 1200 1200	320 330 310 300 330 320 380 370 400	230 235 240 270 230 230 230 230 230 225 160	68 65 70 75 70 70 70 70 70 70 53	460 NR 480 480 460 460 460 440 410			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane, New Air Plus, Summer Chill Quasar, Quasar Ornamental, Gratia	1200 1200 1400 1200 1200 1200 1200 1200	320 330 310 300 330 320 380 370 400 380	230 235 240 270 230 230 230 230 230 225 160 190	68 65 70 75 70 70 70 70 70 70 53 60	460 NR 480 480 460 460 460 440 410 425			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane, New Air Plus, Summer Chill Quasar, Quasar Ornamental, Gratia Quasar, Quasar Ornamental,	1200 1200 1400 1200 1200 1200 1200 1200	320 330 310 300 330 320 380 370 400 380 320	230 235 240 270 230 230 230 230 225 160 190 235	68 65 70 75 70 70 70 70 70 53 60 70 70	460 NA 480 480 460 460 460 460 440 410 425 475			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane, New Air Plus, Summer Chill Quasar, Quasar Ornamental, Gratia Quasar Ornamental Shine	1200 1200 1400 1200 1200 1200 1200 1200	320 330 310 300 330 320 380 370 400 380 320 320 300	230 235 240 270 230 230 230 230 225 160 190 235 275	68 65 70 75 70 70 70 70 70 53 60 70 70 70 70	460 NA 480 480 460 460 460 460 440 410 425 475 480			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane, New Air Plus, Summer Chill Quasar, Quasar Ornamental, Gratia Quasar, Quasar Ornamental, Quasar Ornamental Shine Kiara Shine	1200 1200 1400 1200 1200 1200 1200 1200	320 330 310 300 330 320 380 370 400 380 320 320 300 375	230 235 240 270 230 230 230 230 225 160 190 235 275 230	68 65 70 75 70 70 70 70 70 53 60 70 70 70 73 75	460 NA 480 460 460 460 460 440 410 425 475 480 NA			
Ornamental, Deluxe Newbreeze, Summer Cool Quodro Ornamental Summer Pride, Wendy, Summer Cool, Summer King XL, New Breeze, Deluxe Gratia, Gratia Class, Gratia Shine Wendy, Wendy Shine, Orina Gratia Hi Speed & Gratia Shine Hi Speed Norwester, Norwester Décor, New Hurricane, New Air Plus, Summer Chill Quasar, Quasar Ornamental, Gratia Quasar, Quasar Ornamental,	1200 1200 1400 1200 1200 1200 1200 1200	320 330 310 300 330 320 380 370 400 380 320 320 300	230 235 240 270 230 230 230 230 225 160 190 235 275	68 65 70 75 70 70 70 70 70 53 60 70 70 70 70	460 NA 480 480 460 460 460 460 440 410 425 475 480			

Gratia	1400	300	270	70	480
Norton	1200	380	230	70	 DA
Dior	1200	380	230	70	DA
Falcon 400	1200	400	230	75	DA
Falcon 425	1200	425	230	72	DA
Falcon 425 Deco	1200	425	230	72	DA
Summer Pride, Summer Cool, Newbreeze	1050	380	185	65	410
Wendy, New Hurricane, New Air Plus, Summer Breeze, Summer Breeze Pro, Jazz	900	400	150	58	360
Summer Pride, New Breeze, Summer Cool	900	400	155	53	400
Summer Delite Decore, Newbreeze, Summer Cool, Quasar Ornamental	600	850	140	70	NA
Gratia	600	850	110	65	NA
New Air Plus	600	800	110	62	NA
	600	850	110	68	NA
Jazz	1050	400	180	58	NA
	1400	300	270	75	NA
New Hurricane, New Air Plus	1050	380	180	65	430
New Hurricane, New Air Plus, Summer Breeze, Summer Breeze Pro	1400	300	265	73	450
Summer King XL	1200	320	230	68	480
Summer Breeze	1200	370	230	75	440
Summer Breeze Pro	1200	380	235	72	
	KIDS FF	INS - 3 BLADES			
Fantoosh Rob rabby, Superhero by Fantoosh	1200	320	230	70	NA
CEILIF	IG FANS - ENERGY	SAVERS, 220-24	0V, A.C, 50Hz		
Orient Joan	1200	320	220	50	NA
Energy Star	1200	320	220	48	580
Summer Crown	1200	320	220	48	580
IS-50	1200	350	220	50	570
Smart Saver 50	1200	350	220	50	570

RETRO SERIES							
MODEL	SWEEP (mm)	SPEED (RPM)	AIR DELIVERY (cmm)	CONSUMPTION (Watts)			
Retro Relic	400	2100	47	60			
Retro T12	400	2100	47	60			
Retro T16	400	1300	80	56			
Stand 35	400	1300	80	56			
Retro T16 Hs	400	2100	85	90			
Stand 35 Hs	400	2100	85	90			
	TRENDZ	SERIES					
MODEL	SWEEP (mm)	SPEED (RPM)	AIR DELIVERY (cmm)	CONSUMPTION (Watts)			
Desk 26 Trendz	400	1330	84	58			
Stand 32 Trendz	400	1330	84	58			
Wall 44 Trendz	400	1330	84	58			
Table 27 Trendz	400	2100	100	110			
Stand 37 Trendz	400	2100	100	110			
Wall 47 Trendz	400	2100	100	110			

PERFORMANCE FIGURES: SUPPLY VOLTAGE AT 220-240 V, A.C., 50Hz

	WINDPRO	SERIES			Wall 49	400	1330	84	58
	Sweep	Speed	Air Delivery	Consumption	Wall 11	300	1400	50	53
Model Name	(mm)	(RPM)	(cmm)	(Watts)	Wall 48	450	1330	87	64
Desk 60	400	1350	100	80	Tornado Wall II	450	1325	110	90
Stand 70	400	1350	100	80		MULTI-UTI		110	50
Wall 80	400	1350	100	80	Roto 53	400	1330	84	58
Wall 50	400	2250	100	110	Zippy (High Speed)	225	2500	16	50
	THUNDERSTO	DRM SERIES				STYLUS		10	50
18" Thunderstorm Stand Fan	450	1450	150	80	Stylus Stand	400	1350	100	80
18" Thunderstorm Wall Fan	450	1450	150	80	Stylus Wall	400	1350	100	80
24" Thunderstorm Stand Fan	600	1450	300	170		EXHAUS		100	
24" Thunderstorm Wall Fan	600	1450	300	170		Sweep	Speed	Air Delivery	Consumption
	PEDEST	AL FAN			Model Name	(mm)	(RPM)	(m3/hr)	(Watts)
Tornado II	450	1325	110	90	Smart Air	100	2400	90	18
Stand 34	400	2100	84	58	SHOLTHI	150	1800	240	24
Stand 31	400	1330	84	58	Series Dir	225	1300	650	55
Stand 32	400	1330	84	58	Spring Air	300	1300	1290	68
Stand 39	400	1330	84	58		150	1350	280	38
Stand 33	400	1330	84	58	Ventilator DX	200	1300	550	40
Finstar (Pedestal)	400	1330	84	58		250	1270	780	40
Stand 37	400	2100	100	110	VentilatorHS	150	2500	500	40
Stand 38	450	2100	87	64	Ventilatorins	200	2100	750	60
Farata FT-01	600	1400	167	160	Smart Air Neo	150	2000	250	40
Stand AC 18	450	1400	135	100	Smart Air LSH	150	2000	230	40
Stand AC24	600	1375	250	200	Smart Air Neo SF	150	2000	250	40
	TABLE	FANS			Venito Air, Venito Air WF	150	2000	280	40
Finstar (Desk-21)	400	1330	84	58	Ventilator HS	150	2500	500	40
Desk 25	400	1330	84	58	Hill Air	225	1350	550	42
Desk 26	400	1330	84	58		300	1300	1290	67
Desk 71	400	1330	84	58	High Speed Exhaust	225	2250	1150	60
Table 27	400	2100	100	110		150	2600	400	36
Desk 17	300	2100	80	90	Airflow	225	1350	550	38
	WALLI	FANS				300	1300	1290	50
Model Name	Sweep	Speed	Air Delivery	Consumption		150	2600	500	40
	(mm)	(RPM)	(cmm)	(Watts)	Power Flow	225	1350	865	48
Wall AC 18	450	1400	135	100		300	1320	1800	72
Wall AC 24	600	1375	250	200		300	1400	1750	85
Wall 14	300	2100	80	90		380	1400	3500	150
Finstar (Wall)	400	1330	84	58	Heavy Duty Exhaust	450	900	3900	145
Wall 41	400	1330	84	58		450	1400	6200	375
Wall 43	400	1330	84	58		600	900	10000	500
Wall 44	400	1330	84	58	RAFFA	150	1300	210	24
Wall 47	400	2100	100	110		200	1280	430	28

AREA	BRANCH ADDRESS	AREA	BRANCH ADDRESS
Kerala	Mr. K.J. Thomaskutty Orient Electric Limited, 5th Floor, Kollamkuzi Business Square, Vytilla, Cochin -682019, Contact No.: 9847233330	Chandigarh	Mr. Dinesh Trehan, Orient Electric Limited, SCO 840 1st Floor, NRC manimajra, Chandigarh - 160101, Contact No.: 9646009593
Chennai	Mr P.Prakash, Orient Electric Limited, Heavitree, 2nd floor, Unit B, New No. 47, SpurTank Road, Chetpet, Chennai- 600031, Tamil Nadu, Contact No.:9176345445	Amritsar	Mr. Lalit Chopra, Daga Co., Daga House, Mahna Singh Road, Amritsar - 143001, Contact No.:8556978996
Coimbatore	Mr. K Prakash, Radco Marketing Pvt Ltd, 27/1B, Kolingarayan Street, Mini's Colony, Ramnaga, Coimbatore - 641009, Contact No.: 9944484128	Kanpur	Mr. Arun Dengla, Dhandhania Brothers Pvt, Ltd, 75/4, Halsey Road, Kanpur - 208001, Contact No.: 9415050735
Madurai	Mr. K Prakash, Radco Marketing Pvt Ltd, 228, LIG Colony, K.K Nagar, Madurai - 625020, Contact No.:9944484128	Mumbai	Mr. Vishal Neb, Orient Electric Limited, Dev Corps, 604, Cadbury Junction, Easter n Highway, Thane West - 400601, Contact No 9769208629
Hyderabad	Mr. GVP Raja Gopal, Orient Electric Ltd, 6-3-1090/C.R.K Plaza, 2nd Floor, Raj Bhawan Road, Samajiguda, Hyderabad - 500081, Telagana (India) Contact No.:9848325090	Pune	Mr. Vishal Neb, ORIENT ELECTRIC LTD. C/O. SS SUPPLY CHAIN SOLUTION PVT. LTD. Gut No.1342, Jai Hanuman Warehouse, Ubalenagar, Pune Nagar Roa, Wagholi, Dist Pune -412207, Contact No 9769208629
Bangalore	Mr. Shrinivas Saragavi, Orient Electric Ltd, C/O RPM Logistics Pvt Ltd, Sy No. 73, Harokyanthanaha III, Dosanapura Hobli, Makali (P) Tumkur Main Road, Bengaluru - 562162, Karnataka, Contact No 9848325090	Nagpur	Mr. Deepak Suroshe, Orient Electric Limited, Block no 402, 4th Floor, Shriyash Heights, Plot no. 95, Lendra West Precinct, Ramdaspeth, Nagpur - 440010, Contact No.: 9158998211
Vijaywada	Mr. GVP Raja Gopal, Orient Electric Ltd, GF1, Anupama Apartment, Pitchioh Street, Lobbipet Vijaywada - 520010, Contact No. 9848325090	Indore	Mr. Rajeev Dwivedi, Orient Electric Ltd. Plot No- 67-A, 67-B, 70-A & 70-B, JRG Logistics Park, AB Road, Dakachiya, Indore - 453771, MP Contact No - 9826724892
Delhi	Mr. Ritesh Chourasia, Rajent Enterprises 3/15, Asaf Ali Road, New Delhi - 110002, Contact No.:8826243359		Mr. Abhinav Batra, Orient Electric Limited, G.D. Warehousing, opp.
Haryana	Mr. Sourav Singh / Mr. Neeraj Yadav, Riok Distributors, 14/3, Mathura Road, Behind PNB Bank, Mewala Maharajpur Metro Station, Haryana - 121003,	Raipur	Reliance Petrol Pump, Ring Road No.2, Gondwara, Raipur - 493221 (Chhattisgarh) Contact No.: 9826343332
Lucknow	Contact No.: 96676 00151 / 9643001001 Mr. Ajai Kumar Agarwal/ Mr. Ramit Bhatnagar Orient Electric Limited, 602, 6th floor, Ratan Square, 20-A Vidhan Sabha Marg, Lucknow - 226001	Ahmedobod	Mr. Jaypal Sinh Chauhan, Survey no 107, Gr floor Near Gokulesh Rice Mill, Jetalpur, NH -8 Taluka Dascroi,Ahmedabad 382426 Gujarat, India Contact No.: 9909909272
	Contact No.: 7666545500, 9971397635 Mr RR Chowdhary / Mr Sunny Sambharwal,	Kolkata	Mr. Manish Mohta, Orient Electric Ltd, 6, Ghore Bibi Lane, Kolkata - 700054, Contact No.: 9831022799
Rajasthan	Vasundhara International, D-2(B) Meera Marg. Kamal Varndhavan, Bani Park, Rajasthan - 302016, Contact No.: 9001298204 / 76656 99996	Bhubaneswar	Mr. Guru Dutta, Orient Electric Ltd- a CK Birla Group Company, Badadhanpur, Puri Bypass Road, Near Odiani Dhaba, Bhubaneswar - 751002, Odisha,
Meerut	Mr. Ramit Bhatnagar, Dhandhania Brothers Pvt Ltd. A-36, Sneh Milan, T.P. Nagar, Near Water Tank, Meerut- 250002, Contact No.: 7666545500/9971397635	Patna	Contact No.: 9438438381 Mr. Raj Anand, Orient Electric Limited - a CK Birla Group Company, 4th Class Cai Tawas Pasida Listal Litray, Pay Pak Pueplaw Pasad Patas 200001 Judia
Lucknow	Orient Electric Limited - a CK Birla Group Company, 607, 6th floor, Ratan Square20-A Vidhan Sabha Marg, Lucknow - 226001 Ph No- 0522-4072925 Mobile No-09307936591		4th Floor, Sai Tower, Beside Hotel Utsav, New Dak Bunglow Road, Patna 800001, India, Contact No:09386741195 Mr. Ravi, Orient Electric Ltd - a CK Birla Group Company,
	Mr. Dinesh Trehan,	Ranchi	Modi Heights Phase 1, 4th Floor, Office no. 401, Ratu Road, Ranchi, Jharkhand
Chandigarh	Orient Electric Limited, SCO 840 1st Floor, NRC manimajra, Chandigarh - 160101, Contact No.: 9646009593	Guwahati	Mr. Manas Jyoti Bharadwaj, Branch Sales Manager, Orient Electric Limited, Nilokshi Talukdar Campus, Opp Vodafone Head Office, BH -37, Katabari Guwahati 781035, India, Contact No.: 9864058464



SERVICE BRANCH OFFICE

Delhi

Orient Electric 62, 1st Floor, Okhla Industrial Estate, Phase-3, New Delhi-110020

Indore

No 419, 4th Floor, Shagun Sterling Plot No 7 PU 4 SCH-54, Vijay Nagar, Square Indore-452010

Kolkata

6 Ghore Bibi Lane, Phool Bagan, Kadapara, Kankurgachi, Kolkata, West Bengal-700054

Chennai

12 Second Floor, Wellingdon Estate 53, Ehitiraj Salai, Egmore Chennai-600008

Ahmedabad

201 Arth Complex B/h LG Showroom Nr Mithakali, Six Road Navrangpura, Ahmedabad-380009

Customer Care No.: 1800 103 7574 (Toll-Free)

HOW TO SELECT THE CORRECT ORIENT ELECTRIC CEILING FAN							
ROOM SIZE	FAN SIZE			PSPO Value 3 Blades	PSPO Value 4 Blades		
	mm	feet	inch				
4x4.95m To 4.55x4.55m	1400	4.5	56	480			
4x4.95m To 4.55x4.55m	1300	4.2	52	5 Blade Fo	5 Blade Fans		
3x4.00m To 3.65x3.65m	1200	3.9	48	420/440/460/475/480/580	470/480		
2.5x3.3m To 3x3m	1050	3.4	42	410/425			
2.5x2.4m To 2x3m	900	2.9	36	400/410			

Important: To maximize air delivery over the required area, your Orient Electric ceiling fan should be 2.1 meter or more from the ground and 30cm or more below the ceiling. For large rooms with more than one fan, the center distance between each will depend on sweeps.

Sweep	1400mm	1200mm	1050mm	900mm
Center Distance	Зm	2.5m	2m	1.8m

• Visuals shown in the brochure, may vary slightly from actual product

• All ceiling fans are with double ball bearing

Air delivery may vary ±5%

• All specifications are subject to change without any prior notice

• Models may change during the year



(CK BIRLA GROUP



switch to smart

Fans I Home Appliances I Lighting I Switchgear

Orient Electric Limited (a CK Birla Group company)

240, Okhla Industrial Estate, Phase-III, New Delhi - 110020. Orient Helpline no.: 1800 103 7574 (Toll Free) Email: customer.connect@orientelectric.com, Website: www.orientelectric.com

Follow us on: 🗗 🛅 in 🗾 🥥

